



## SAE 10W-30 API SP – JASO MA2 SYNTHETIC TECHNOLOGY

## 4T MOTORBIKE

High-Performance Motorcycle Engine Oil Developed With Advanced Synthetic Technology Base Oils and Modern additive Systems Specifically Formulated for 4-Stroke Motorcycles Requiring JASO MA2 Specification, Ensuring Optimal Wet Clutch Performance And Engine Protection.

PROPERTY	VALUE
SAE Grade	10W-30
Viscosity @ 40°C (mm <sup>2</sup> /s)	77.2 mm <sup>2</sup> /s
Viscosity @ 100°C (mm <sup>2</sup> /s)	11.451 mm <sup>2</sup> /s
Viscosity Index	140
Pour Point (°C)	≤ -15°C
Flash Point (°C)	≥ 220°C
Density @ 15°C (g/cm <sup>3</sup> )	0.874 g/cm <sup>3</sup>
Total Base Number (TBN, mg KOH/g)	7–9 mg KOH/g

### SPECIFICATIONS AND APPROVALS:

- API SP • JASO MA2

### OEM APPROVALS:

Formulated to Meet the Performance Requirements of Leading Motorcycle Manufacturers Requiring SAE 10W-30 API SP, JASO MA2 specifications.

### BENEFITS

- Recommended for Modern Motorcycles including high-revving Engines and Bikes Equipped With Wet clutch Systems.
- Suitable For Daily Riding, Touring and severe Operating conditions.

### APPLICATIONS

- Recommended for Modern Motorcycles, including high-Revving Engines and Bikes Equipped With Wet Clutch Systems.
- Suitable For Daily Riding, Touring and Severe Operating Conditions.

